

AMENDED

Nº 44453

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

SEP 21 1981

Date of filing in State Engineer's Office

JAN 15 1982

Returned to applicant for correction

FEB 19 1982

Corrected application filed

FEB 19 1982 under 44334

Map filed

The applicant BOARD OF NYE COUNTY COMMISSIONERS, acting as the BOARD OF TRUSTEES OF THE UNINCORPORATED TOWN OF TONOPAH, NYE COUNTY, NEVADA,

P.O. Box 153

of

Tonopah

Street and No. or P.O. Box No.

City or Town

Nevada 89049

State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

Nye County, a political subdivision of the State of Nevada.

1. The source of the proposed appropriation is underground (Well #2)

Name of stream, lake or other source.

(Big Smoky Valley)

2. The amount of water applied for is 3 C.F.S. second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____ acre-feet

3. The water to be used for municipal purposes

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated) _____

(b) Stockwater (state number and kinds of animals to be watered) _____

(c) Other use (describe fully under "No. 12. Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 13,

T. 3 N., R. 42 E., M.D.B.&M., from whence the Southeast Corner of said Section

13 bears S. 83°40'21" E., 4,366.32 feet distant.

it should be stated.

6. Place of use S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 13, T. 3 N., R. 42 E., M.D.B.&M.;

Describe by legal subdivision, if on unsurveyed land it should be so stated.

Sections 25, 26, 27, 35, 36, and the E $\frac{1}{2}$ E $\frac{1}{2}$ and a portion of the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of

Section 28, the N $\frac{1}{2}$ N $\frac{1}{2}$ and portions of the S $\frac{1}{2}$ NE $\frac{1}{4}$ and NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 34,

T. 3 N., R. 42 E., M.D.B.&M.; and Sections 1 and 2 of T. 2 N., R. 42 E., M.D.B.&M.,

and Sections 30 and 31 of T. 3 N., R. 43 E., M.D.B.&M.

7. Use will begin about January 1 and end about December 31 of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) It is proposed to drill, case, and equip an underground well for municipal use.

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$100,000.00
10. Estimated time required to construct works one (1) year
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use two (2) years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This proposed source of water, if developed, is intended through the present and future updated water supply system to serve an estimated equivalent population of 10,000 people.

Pro. 4/5/82 by Joseph Ferrari
Pro. overruled. 6/24/83. See
Ruling #2811.

Compared js/bc

br/ja

By s/Wallace T. Boundy
Wallace T. Boundy
Nye County Surveyor
P.O. Box 242
Tonopah, Nevada 89049

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined duty of water under this permit and Permit 44454 shall not exceed 707.7 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.0 cubic feet per second but not to exceed 707.7 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before October 30, 1983

Proof of completion of work shall be filed before November 30, 1983

Application of water to beneficial use shall be made on or before October 30, 1985

Proof of the application of water to beneficial use shall be filed on or before November 30, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I PETER G. MORROS
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed my office, this 27th day of JUNE
Cultural map filed CANCELLED JAN 21 1988
Certificate No. OF A-1550-19-83 USE OF FAILURE
TO COMPLY WITH THE PROVISIONS OF PERMIT